



MIROLOK 3508 Glass Clean & Prime

MIROLOK 3508 Glass Clean & Prime is an easy to use, fast drying primer used to both clean glass and provide excellent adhesion to glass for MIROTHANE PU metallic, pearlescent or solid coloured topcoats.

Product Advantages

- Cleans and primes in one action
- Easy to use, no mixing or pot life issues
- Fast drying

Typical Applications

Glass splashbacks, toughened glass countertops, glass furniture and glass feature walls.

Application Method

Apply to glass with a clean, soft absorbent, lint-free cloth or if applying to a large area use a plastic trigger spray pack. Wipe wet surface vigorously in the same way you would a glass cleaner. Finish with a clean rag wiping hard enough to remove excess primer and the majority of the streaks.

Drying: Recoat: 15 -60 minutes

If temperature is less than 15°C wait 30-60 minutes before topcoating.

Recommended Topcoats: MIROTHANE PU 5650/30 mixed 3A:1B with 5735 or 1A:1B with 5747

MIROTHANE PU 5650/FG mixed 1A:1B with 5780 or 2A:1B with 5789

Application Equipment Clean Up: Clean all equipment using MIROSOL 1222 Thinner

Shelf Life: 24 months

Packaging: 1 litre & 5 litres

Health & Safety

Before handling, refer to the Material Safety Data Sheet for health and safety information. Ensure that all personnel using this product have read and understood this data sheet and the associated MSDS and packaging label before using this product.

Mirotone Pty Ltd Australia (Head Office)

ABN 40 000 041 136 21 Marigold Street, Revesby NSW 2212 Australia P +61 2 9795 3700 F +61 2 9771 3601 sales@mirotone.com.au Mirotone (NZ) Ltd New Zealand (Head Office)

32 Cryers Road, East Tamaki Auckland, 2013, New Zealand P 0800 34 64 74 F 0800 34 64 34 information@mirotone.co.nz Mirotone (Thailand) Co., Ltd

83 Moo 4, Poochaosamingprai Rd, Samrong Klang, Prapradaeng, Samutprakam, 10130, Thailand P +66 2 754 4451 F +66 2 754 4450

www.mirotone.com

MIROLOK 3508 Issued 22 June 2018 Page 1

The information in this data sheet represents typical values. Application variables affect product performance therefore this information should be used as a guide. The user must satisfy themselves as to the suitability of this product for their requirements. Mirotone assumes no liability for use of this information.